

## DATALOGIC - AS1 - AREA LIGHT CURTAIN SENSORS

AS1-LD-HR-010-J  
AS1-LD-HR-010-J 2.1M, 6mm

- Crossed light beams
- High resolution - 0.2mm thick x 75 mm wide
- Distance up to 3m
- Versions with potentiometer setting



### PRODUCT DESCRIPTION

The photoelectric light grids of the AS1 series are crossed-beam area sensors able to detect all objects, with even 0.2mm thickness, inside a 100mm height, over operating distances reaching 3m between emitter and receiver. The AS1 area sensors represent the ideal solution for the detection of very small objects, even when passing in different positions inside the controlled height and width. Versions with trimmer adjustment and optic synchronism between emitter and receiver unit are available.

#### Features & Benefits:

- Crossed beams
- Trimmer version available
- Optical synchronism: to speed up the connection and alignment procedures
- 3m operating range



#### Applications:

- Automatic machines
- Packaging lines
- Transportation lines
- Wood working machines
- Glass working machines
- Ceramics working machines
- Automatic warehouses

### SPECIFICATIONS

<b>Approvals</b>	CE, cULus
<b>Detection Height</b>	100 mm
<b>Dimension (mm)</b>	22 x 43 x 150
<b>Distance Max</b>	2100 mm
<b>Distance Min</b>	300 mm

<b>Electrical connection</b>	M12 5 pole connector, M12 4 pole connector
<b>IP Class</b>	IP65
<b>LED indicator</b>	Yes
<b>Lens material</b>	PMMA
<b>Light type</b>	IR LED
<b>Material of body</b>	Aluminium
<b>Output</b>	PNP
<b>Output current max</b>	0,1 A
<b>Photocell technology</b>	Curtain photocell
<b>Power consumption max</b>	0,15 A
<b>Reaction time</b>	2,75 ms
<b>Supply voltage</b>	24 V DC
<b>Temperature range bearing, from</b>	-25 °C
<b>Temperature range bearing, to</b>	70 °C
<b>Temperature range from</b>	0 °C
<b>Temperature range to</b>	50 °C
<b>Weight</b>	300 g



1	=	brown	=	+24Vdc
2	=	white	=	SEL_RX (only AS1-HR)
3	=	blue	=	0 V
4	=	black	=	SYNC

1	=	brown	=	+24Vdc
2	=	white	=	SEL_RX (only AS1-HR)
3	=	blue	=	0 V
4	=	black	=	SWITCHING OUTPUT
5	=	grey	=	SYNC

