

QG65 TILT SWITCH, SINGLE OR TWIN AXIS, HIGH ACCURACY

QG65-KD-030H-CAN-CFM Inclination sensor, +/-30°, 2-axis, CAN output

- Twin axis
- ±30°, ±90° or 360°, other measuring ranges available
- CANopen output, CANopen SIL2/PLd and 0,5-4,5 V or 4-20 mA also available
- IP67 rated




PRODUCT DESCRIPTION

QG-series inclinometers measure the angle with respect to the direction of the force of gravity in one or two axes. Inclinometers from the DIS Sensors QG series are based on robust MEMS technology, and their modular design makes it easy to optimize each sensor for a specific application. What's more, for certain models, the handy configurator enables the end customer to easily adjust the sensor according to preference.

Inclinometers are used in various applications where angle measurement is crucial, such as concrete pumps, cranes, elevated work platforms, solar panels, air suspension systems and agricultural machinery. Housing options include plastic, aluminium and stainless steel.

Measurement orientation:



SPECIFICATIONS

TECHNICAL DATA

| Measuring Range | ±30° |
|----------------------|-----------|
| Voltage DC max | 30 V |
| Voltage DC min | 10 V |
| Connection Thread | M12 |
| Temperature range to | 85 °C |
| Accuracy | 0,04 ° |
| Temperature effect | 0,005 °/K |

| Length | 50 mm |
|------------------------|---------|
| Resolution | 0,01 ° |
| Width | 60 mm |
| Temperature range from | -40 °C |
| Output | CANopen |
| Central Material | Plastic |
| Approvals | CE |
| Height | 27 mm |
| Number of axis | 2 |





